



ITS TESTING LABORATORY PRIVATE LIMITED

Laboratory: A-114, Sector-80, Phase-II Noida, Gautam Budh Nagar - 201305, (U.P.)
(An ISO 9001: 2015, ISO 14001:2015 & ISO 45001:2018 Certified Laboratory)
Website: www.itslab.in, Email: itlrclab@gmail.com, info@itslab.in, contact@itslab.in
+91 9911659800, 9305780312, 09958849764

TEST REPORT

DOC No. ITS/7.8-01, Page 1 of 1

Food Sample Analysis

Report Code: FD-250825-12

Issue Date: 29/08/2025

Issued To : YS ORGANICS

Sy 61/1, Sullikunte Village, Dommasandra Post, Off Sarjapur Road, Bangalore East
Karnataka - 562125

Sample Description : Soma Shrooms Shroom Blend Liquid Extract Sample (Synergy)
Sample Drawn By : By Customer
Sample Received On : 25/08/2025
Sample Quantity : 250 gm
Weather Conditions : Normal
Analysis Duration : 25/08/2025 To 29/08/2025
Brand Name : SomaShrooms

Heavy Metal Analysis of "ShroomBlend Liquid Extract Sample (Synergy)"

| S. No. | Parameter | Test result | Limit | Protocol |
|--------|-----------|-------------|------------|----------|
| 1 | Cadmium | <0.01mg/kg | <0.05mg/kg | BY AAS |
| 2 | Arsenic | <0.01mg/kg | <0.05mg/kg | BY AAS |
| 3 | Mercury | <0.01mg/kg | <0.05mg/kg | BY AAS |
| 4 | Lead | <0.01mg/kg | <0.05mg/kg | BY AAS |

"Microbiological Analysis of ShroomBlend Liquid Extract Sample (Synergy)"

| S. No. | Parameter | Test Result | Limit | Protocol |
|--------|-------------------|-------------|-------------|------------------------------|
| 1 | Total Plate Count | 1.0cfu | 10cfu/gm | IS: 5402 (P-1) 2021 |
| 2 | E-Coli | Absent | Absent/gm | IS: 5403-1993 (RA-2018) |
| 3 | Salmonella | Absent | Absent/25gm | IS: 5887 (P-3)-1999 RA 2022 |
| 4 | Yeast & Mould | Absent | Absent/gm | IS: 5403-1993 (RA-2018) |
| 5 | Coliform | Absent | Absent/gm | IS: 5402 (P-1) 2021 RA -2022 |

Checked by 



End of the Report

Terms & Conditions :

1. Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed as per quality policy.
3. Any complaints about the report should be communicated in writing within 7 days.
4. Total liability of our laboratory is limited to invoiced amount.